

IN THE SUPREME COURT OF INDIA
INHERENT JURISDICTION

REVIEW PETITION (C) NOS. 9967-9968 OF 2026

IN

CIVIL APPEAL NOS. 769-770 OF 2026

SARYU PLASTICS PVT. LTD.

Petitioner(s)

VERSUS

GUJARAT WATER SUPPLY AND SEWERAGE BOARD

Respondent(s)

O R D E R

1. Application for oral hearing is rejected.
2. Having perused the review petitions, we find that there is no error apparent on the face of the record. No case for review under Order XLVII Rule 1 of the Supreme Court Rules 2013 has been established.
3. The Review Petitions are, therefore, dismissed.

.....J.
(PAMIDIGHANTAM SRI NARASIMHA)

.....J.
(ALOK ARADHE)

NEW DELHI;
JULY 21, 2026.

ITEM NO.1008

SECTION III-B

S U P R E M E C O U R T O F I N D I A
RECORD OF PROCEEDINGS

R.P.(C) No. 9967-9968/2026 in C.A. No. 769-770/2026

[Arising out of impugned final judgment and order dated 26-05-2026 in C.A. No. No. 769/2026 26-05-2026 in C.A. No. No. 770/2026 passed by the Supreme Court of India]

SARYU PLASTICS PVT. LTD.

Petitioner(s)

VERSUS

GUJARAT WATER SUPPLY AND SEWERAGE BOARD

Respondent(s)

IA No. 192123/2026 - ORAL HEARING

Date : 21-07-2026 This matter was circulated today.

CORAM : HON'BLE MR. JUSTICE PAMIDIGHANTAM SRI NARASIMHA
HON'BLE MR. JUSTICE ALOK ARADHE

By Circulation

UPON perusing papers the Court made the following
O R D E R

1. Application for oral hearing is rejected.
2. The Review Petitions are dismissed in terms of the signed order.
3. Pending application(s), if any, shall stand disposed of.

(KAPIL TANDON)
COURT MASTER (SH)

(NIDHI WASON)
ASSTT. REGISTRAR(NSH)

(Signed Order is placed on the file)