



Indag Rubber Limited



ISO 9001: 2015
ISO 14001:2015
ISO 45001:2018

Regd. Office: Khemka House, 11, Community Centre, Saket, New Delhi -110017, India
Phone: 26963172-73, 26961211, 26863310, 41664818, 41664043; **Fax:** 011-26856350
E-mail: info@indagrubber.com; Website: www.indagrubber.com; **CIN-L74899DL1978PLC009038**

Works: VPO Bhogpur, Jhiriwala, Tehsil Nalagarh, Distt. Solan, Himachal Pradesh - 174101, India
Phone: +91-9736000123

August 17, 2026

BSE Limited

Phiroze Jeejeebhoy Towers,
Dalal Street,
Mumbai - 400001

(Company code-1321)
(Scrip code-509162)

Sub.: Investor Presentation for Q1 FY2027

Dear Ma'am/Sir,

Please find enclosed Investor Presentation for Q1 FY2027 for the information of the investors and public at large.

Thanking you.

Yours faithfully,

For Indag Rubber Limited

Sonal Garg
Company Secretary & Compliance Officer
(ACS 24598)



THE ONLY ALTERNATIVE TO NEW TYRES

INDAG[®]

SINCE 1978

INDAG RUBBER LIMITED

THE ONLY ALTERNATIVE TO NEW TYRES

Investor Presentation
August 2026

This presentation and the accompanying slides (the “Presentation”), which have been prepared by **Indag Rubber Limited (the “Company”)**, have been prepared solely for information purposes and do not constitute any offer, recommendation or invitation to purchase or subscribe for any securities, and shall not form the basis or be relied on in connection with any contract or binding commitment what so ever. No offering of securities of the Company will be made except by means of a statutory offering document containing detailed information about the Company.

This Presentation has been prepared by the Company based on information and data which the Company considers reliable, but the Company makes no representation or warranty, express or implied, whatsoever, and no reliance shall be placed on, the truth, accuracy, completeness, fairness and reasonableness of the contents of this Presentation. This Presentation may not be all-inclusive and may not contain all of the information that you may consider material. Any liability in respect of the contents of, or any omission from, this Presentation is expressly excluded.

Certain matters discussed in this Presentation may contain statements regarding the Company’s market opportunity and business prospects that are individually and collectively forward-looking statements. Such forward-looking statements are not guarantees of future performance and are subject to known and unknown risks, uncertainties and assumptions that are difficult to predict. These risks and uncertainties include, but are not limited to, the performance of the Indian economy and of the economies of various international markets, the performance of the industry in India and world-wide, competition, the company’s ability to successfully implement its strategy, the Company’s future levels of growth and expansion, technological implementation, changes and advancements, changes in revenue, income or cash flows, the Company’s market preferences and its exposure to market risks, as well as other risks. The Company’s actual results, levels of activity, performance or achievements could differ materially and adversely from results expressed in or implied by this Presentation. The Company assumes no obligation to update any forward-looking information contained in this Presentation. Any forward-looking statements and projections made by third parties included in this Presentation are not adopted by the Company and, the Company is not responsible for such third party statements and projections.



Every Retreaded Tyre
Makes **Nature Smile**

Q1 FY27 Financial Highlights





Mr. Vijay Shrinivas

CEO & Whole Time Director,
Indag Rubber Ltd.

Commenting on the Result, Mr. Vijay Shrinivas, CEO & Whole Time Director, Indag Rubber Limited said:

“During Q1FY27, total revenue grew 26% YoY to ₹60.45 crores, while EBITDA grew 108% YoY to ₹8.20 crores (13.6% margin) and Profit After Tax nearly tripled to ₹5.07 crores (vs ₹1.84 crores). The strong performance was driven by disciplined execution of product mix, channel mix and pricing management - PAT margin expanded ~456 bps YoY to 8.4%.

The Company continues to serve performance-seeking customers through the Indag-branded product portfolio, with deeper engagement of our franchisee partners through structured technical training, on-ground audits, and faster information flow on raw-material trends.

The 2026 West Asia escalation lifted key input costs - natural rubber and PBR touched multi-year highs through Q1FY27; we are actively managing this through raw-material monitoring, calibrated price pass-through, supplier and geography diversification. Indag has successfully navigated multiple raw-material cycles before, and we remain committed to driving long-term value through a differentiated, customer-centric approach.

The retreading industry's value proposition continues to be strong -

- Economically: A retreaded tyre saves up to ~70% of new tyre cost and brings cost-per-kilometre down to nearly a third - directly benefiting fragmented fleet owners and operators in India.
- Environmentally: A retreaded tyre saves 57 ltrs of Oil, 44kg of rubber, translating to ~136 kg of lower CO₂ emissions versus a new tyre.


Our subsidiary, Millenium Manufacturing Systems-an EMS provider in the power-electronics segment for the global green energy transition-continued to build on its FY26 foundation and commenced its commercial production and dispatches during the quarter.”

Q1 FY27 Financial Highlights




Total Revenue*



Q1 FY27





FY26



EBITDA & EBITDA Margins*



Profit After Tax & PAT Margins



On Standalone Basis *Includes Other Income

Q1 FY27 Profit & Loss Statement



Particulars (Rs. In Crs.)	Q1 FY27	Q1 FY26	Y-o-Y	Q4 FY26	Q-o-Q
Revenue from Operations	57.6	45.0	28%	60.8	-5%
Other Income	2.9	2.9		2.4	
Total Revenue	60.4	48.0	26%	63.2	-4%
Total Raw Material	38.0	31.4		41.6	
Gross Profit	22.4	16.6	35%	21.6	4%
Gross Profit %	37.1%	34.6%	251 bps	34.2%	290 bps
Employee Expenses	6.2	5.9		6.6	
Other Expenses	8.0	6.7		8.6	
EBITDA	8.2	4.0	108%	6.3	30%
EBITDA %	13.6%	8.2%	533 bps	10.0%	355 bps
Depreciation	1.3	1.4		1.3	
EBIT	6.9	2.5	173%	5.0	37%
EBIT (%)	11.4%	5.3%		8.0%	
Finance Cost	0.1	0.1		0.1	
Profit before Tax	6.8	2.4		4.9	
Tax	1.7	0.6		1.4	
Profit after Tax	5.1	1.8	176%	3.6	43%
PAT %	8.4%	3.8%	456 bps	5.6%	277 bps
EPS	1.93	0.70		1.35	

The Only Alternative To New Tyres



**BE SMART &
RETREAD**
YOUR TYRES!



**ONE STOP
SOLUTION FOR
RETREADING**

**CUTTING EDGE
TECHNOLOGY**



**EXPERIENCE IN
EXCELLENCE**

**AN EXCELLENT HISTORY OF PROVIDING BEST-IN-CLASS
RETREADING MATERIALS AND SOLUTIONS**

**HIGHLY
CERTIFIED
PRODUCTS**





DEPOTS

15+

DEALERS

300+

SALES & TECHNICAL
TEAMS

50+

RETREADERS

3000+

- **Sales Employees** across India

- **Technical Service Engineers** across India

- **Fleet Engagement Executives** across India

Revolutionizing Tyre Retreading with Cutting-Edge Solutions



PRECURED TREAD RUBBER

- Capacity of **20,000 MT p.a.**
- Servicing different vehicle types M&HCVs, LCVs, Passenger vehicles and Off-road vehicles
- Specialized patterns for varied road applications such as highways, hills, mining, off-road

- Capacity of **2,200 KL p.a.** with availability of **3 variants**
- Provides protection to tyre buffed surface from oxidation
- Good cured bonding between casing and cushion



UNIVERSAL SPRAY CEMENT



UN-VULCANIZED RUBBER STRIP GUM

- Capacity of **5,000 MT p.a.**
- Strong bonding between casing and tread
- Shortest curing time
- High retreading productivity

- **Heat resistive** compound
- Lowest cost per cure envelopes
- Longer retreaded life



TYRE RETREADING ENVELOPES

Indag Rubber: Pioneering India's Tyre Retreading Industry Since 1978



1978 : Incorporated as JV
between Khemka Group &
M/S Bandag Inc, (USA)

1979 : Set up plant at Bhiwadi
(Rajasthan)

1984 : Listed on BSE

• 1978-84

• 2006

JV was terminated with
Bandag Khemka Group
took over 38.3% share Set
up plant at Nalagarh
(Himachal Pradesh)

Increased capacity at
Nalagarh plant from 6,000
MT to 13,800 MT. Foray into
Foreign market with
launch of "Zoma" Brand

• 2012

• 2015


Included as one of the best
'Under 1 Bn' company by
Forbes Asia Certificate of
Excellence from Inc 500 in
2012 & 2013

Expanded
Capacity from
13,800 MT to
20,000 MT

• 2016

• 2023

Entry into Green
Energy Sector



State-of-the-Art Manufacturing and R&D Facility at Nalagarh




Advanced Technology Driving Innovation and Excellence in Tyre Retreading

Mr. Nand Khemka

Chairman & Managing Director

M.S. in Foreign Trade & MBA from Columbia University, New York, U.S.A.

Over 55+ years of experience in promoting and running successfully various organizations



Mr. Uday Khemka

Director

Over 30+ years of Investment Banking & Entrepreneurial experience in Emerging markets

Vice-Chairman of the SUN Group of companies

Educated at Eton College, he received his undergraduate and Master's degrees at Cambridge University and received an MBA with distinction from Harvard Business School (Baker Scholar)



Mr. Shiv Khemka

Director

Vice-Chairman of SUN Group, founded in the early 90's

Educated at Eton College, Brown University, and MBA/ MA from Wharton School of Business and the Lauder Institute at University of Pennsylvania



Mr. Vijay Shrinivas

CEO & Whole Time Director

With the company since 2018. He was last working with Arvind Ltd. as Chief Sales & Marketing Officer. Prior to that, he was with DuPont, Bharat Shell, Larsen & Toubro and Tube Investment (Murugappa Group) in various operating and leadership roles

Masters in International Business from Indian Institute of Foreign Trade, New Delhi, with over 30+ years of experience





Mr. Nikhil Khanna

Non-Executive Director (Independent)



Ms. Ranjana Agarwal

Non-Executive Director
(Independent)



Mr. Sushil Kumar Dalmia

Non-Executive Director (Independent)



Mr. Raj Kumar Agrawal

Non-Executive Director
(Independent)



Mr. Anil Bhardwaj

G.M.(Accounts) & CFO



Ms. Sonal Garg

Company Secretary

Voice of Customers — Channel & Fleet Engagement FY26

R.R. LOGISTICS
Jaipur, Rajasthan

R.R. LOGISTICS

INDAG ZZYL TREAD PATTERN TO RUN 1.4 LAKH KMS

"We are a prominent fleet with 80 vehicles primarily running on Ambala-Mumbai & Ambala-Hyderabad route. We had retreaded 88 tyres in the last 6 months with Indag Tread (ZZYL & ZZE2 Patterns). We are using Retreaded Tyre fixed on Dummy Axle of Size: 10.00R20. We anticipate a mileage of 1.4 Lakh KM at 80% Wear, which is 32% better than competitor. I would strongly advocate the use of Indag Tread to my fellow transporters as well."

Application: Truck

BHAGWATI AIR EXPRESS PVT. LTD.

New Delhi, Delhi



INDAG ZZYL TREAD PATTERN RUNS 1.6 LAKH KMS

"We, M/S Bhagwati Transport have a fleet of 90 Trucks plying PAN-India, mostly in medium to long haulage catering to the e-commerce industry. We used Indag's retreaded tyres on Dummy Axle of size: 295/80R22.5 and reached up to lakh KM Mileage at 85% Wear. After getting 100+ tyres retreaded through Indag's franchisee Haryana Cold Retreads, we are pleased to confirm that Indag's Retreaded patterns almost achieve 85% of New Tyre Mileage."

Application: Truck

VEERBHADRA SWAMY TOURS & TRAVELS

Hyderabad, Telangana



INDAG ZZYL TREAD PATTERN RUNS 90,000 KMS

"For last 11 months I have been using Indag Tread Rubber for my fleet of 80 buses. The retreaded tyres are giving around 89,500 mileage, which is 24% better than competitor. I am satisfied with the service of Indag Rubber Limited."

Application: Bus

NEW JAISHANKAR TRANSPORT COMPANY

Jaipur, Rajasthan



INDAG ZZA1 PROVIDES 14% MORE MILEAGE ON STEER AXLE

"We are a prominent fleet of 600+ vehicles, plying on the Janagar-Uttarakhand and Nimbahera-Gujarat route. We are highly satisfied with ZZYL, ZMB57 and ZZA1 Patterns, providing 14% better Mileage on Steering Axle than competition. Timely recommendations by Indag Team helped us in achieving better performance. We strongly advocate the use of Indag Treads to our fellow transporters as well."

Application: Multi-axle Truck Trailer

JYOTI TRANSPORT SERVICE

Mumbai, Maharashtra



INDAG TREADS PERFORM EXCEPTIONALLY WELL ON BOTH KACHA AND PAKKA ROADS

"Our vehicles operate across India in mixed road conditions (20 % bad and 80 % good) running 61500kms per month. We face a problem of excessive tyre chipping & low mileage leading to low mileage. Indag's offerings exceed our expectations and provide performance equivalent to up to 85% of New Tyre Mileage."

Application: Truck + Trailer

MANTHAN TRANSPORT

Namakkal, Tamil Nadu



95,000 KMS A NEW NORMAL FOR ZLD

"We have been using retreaded tyres from Retreader Neetha Tyres. We are using Endurance LD as New Tyre & since getting superior mileage, we shifted to ZLD Pattern like New Tyre to our retreader. We used ZLD 220 and achieved a mileage of 95,000 kms."

Application: Truck



INDAG CONSULTANCY SERVICES

"I would like to appreciate the INDAG Consultancy Services received from your Company recently. 7 Chambers, Buffers and builders are repaired properly. We are satisfied and move."

PERFORMANCE OF 4219 ULTIMA ENVELOPE

"We are very much happy with performance of 4219 Ultima. We used this Envelope from August 2022. We have cured 150 tyres on an average in every month & this Envelope cured around 500 tyres. We are very much satisfied with INDAG 4219 Ultima Envelope. We would urge everyone to try 4219 Ultima Envelope of INDAG once."

EXPERT & KNOWLEDGABLE SUPPORT ENGINEER PROVIDED BY INDAG

"We had issues with the Rasper & Chamber in our plant, which was rectified by Service Engineer Mr. Mohammed Haris who was very genuine & had great knowledge about all machinery. This issue was long pending and required expertise to be rectified. We appreciate INDAG & Mr Haris."

HELPED GET PRODUCTION BACK ON TRACK

"We are very satisfied with the work done by INDAG Service Engineer Mr. Manohar Lal. He inspected & repaired the chamber in a very short period of time, which helped us get the production up & running."

Empowering mobility with trusted, cost-effective solutions, our satisfied customers choose us for unmatched tyre retreading excellence.

SHRI MAHAVEERAI NAMAH

PCM PREM CARGO MOVERS PVT. LTD.
www.premcargo.com

FLEET OWNERS (TANKERS, TRAILERS & CAR TRAILERS)

Site Off: A-1, Jai Mata Vardhno Nagar, Gajsinghpura
Near Narayan Vinay Mode, Gopalpura
Bypass, Jaipur, Rajasthan - 302019
Mobile: 93529 25018, 99290 96199
E-mail: premcargo@gmail.com

PIN No: AABCP408N
GST No: 08AABCP408NZZT
CIN No: U64120RJ1999PTC011267

Date: 29/03/2024

To whom it May concern

It is our privilege as a consumer of Indag Rubber products to attest as follows.

Prem cargo movers operating 250+ Vehicles in Tanker application which is moving between Gujrat -Rajasthan.

I am using Indag for last 3-4 years and very happy with performance of Indag tread. Indag Treads are of premium quality and their retreading process and service given by their Engg. is best among the all competitors. I use ZZYL, ZMD in radial and HWR, IR in bias (ICON) which has good tyre mileage in KM/MM on average 7100 km/mm . Our CPKM has reduced because this KM/MM is about 70% of new tyre mileage.

So I appreciate for such a quality product in service of Indag rubber Limited.

For Prem Cargo Movers Pvt. Ltd.
Thanking you .
Regards

ARAWALI CARGO MOVERS PVT. LTD.
FLEET OWNERS & TRANSPORT CONTRACTOR

Authorised Transporter : Shree Cement Limited
Head Office : E-81, POLICE PATH, NIRMAL NAGAR, JAIPUR-19 Ph. 0141-2812623
Branch Office : Devliya Bus Stand Ameer Road, Bagru, Jaipur CIN No. U63011RJ2009 PTCO29967
Bagru 9251099123, Ras 9251099124, Shree 9251099128, Email-arawalicargo@gmail.com

Ref. No. Date: 18/04/24

To whom it May concern

It is our privilege as a consumer of Indag Rubber products to attest as follows.
Arawali cargo operating 100+ Vehicles in Trailer segment in steel & Powder application which is moving all India.

I am using Indag for last 3-4 years and very happy with performance of Indag tread. Indag Treads are of premium quality and their retreading process and service given by their representative is among the best in industry.

Below the Comparative tracking Summary --

Rubber Brand	Indag	JK	Indag
No of Tyre	29	13	6
Pattern	ICON EXL210	JTK210	ICON IR212
	56T-59T	56T-59T	56T-59T
GVW	22	22	22
Vehicle	wheeler(Flat Bed)	wheeler(Flat Bed)	wheeler(Flat Bed)
Position	Trolley 2/3	Trolley 2/3	Trolley 2/3
Wear %	32%	46%	19%
Km Covered	28849	28335	16535
Km/mm	5691	4562	6383
Projection @100%	79674	63868	86170
CPKM@100% Wear	0.058	0.072	0.053

I use EXL 210 which is 20% better in Km/mm then JK JTK 210 and IR 212 is 31% better then JK JTK 210.

So I appreciate for such a quality product in service of Indag rubber Limited and will continue using Indag retread belts.

Thanks & Regards
For Arawali Cargo Movers Pvt. Ltd.
Arawali Cargo Movers
Director

IATA ACCREDITED AGENT
PATA Pacific Area Travel Association India Chapter
NETWORK TRAVELS

17 Patan Bazar, G S Road, Guwahati-781008, Assam, India
① +91 361 2739993
② +91 361 2605335
③ networktravelsindia@gmail.com
④ www.networktravelsindia.com

To, M/S. Indag Rubber Limited
Guwahati -781029

Date : 04.04.2024

Subject – Testimonial for Indag Trade Performance

We Network travel are a prominent fleet with 70+ buses based in guwahati. We have been working in the transport industry since 1992. Our buses primarily run across the north eastern states .

We have retrade our tyre with INDAG-(ICON) trade and we found extremely satisfactory performance with the indag (ICON) trades.

	Company	Pattern	Milage in km	Cpkm
1	INDAG	ZLD 220 (ICON)	69500	0.11
2	MIDAS	ALD 220	61638	0.14

INDAG Milage is 10% more than MIDAS GREEN in rear axle.

We retraded around 550 tyres in last 10 month with indag (ICON) trades. And very much satisfied with milage performance compare to midas.

I would like to thank Indag rubber LTD. Gōwahatī team for thaire extensive support and we will continue to use them in our fleet . I would strongly recommend the use of indag (ICON) brand to fellow transport as well.

For Network Travels
Manager

Multi-Tier Product Portfolio — Serving Performance & Value Customers



ZDI8

MILEAGE KA MASTER

Tyre Size	Width	Depth	Length	Weight
10.00R20	215	13.5	128	10.90
295/90R20	220	14.3	128	11.70
10.00R20	220	14.3	128	11.70
295/90R20	230	13.8	130	12.00
11.00R20	230 H	15.2	132	13.50
11.00R20	230	13.8	134	12.40
12.00R20	240	13.0	128	11.80
12.00R20	240 H	14.7	132	13.40
12.00R20	240	13.0	134	12.35
11.00R20	230	13.8	130	12.00

NEW LAUNCH IN SUPER HEAVY WEIGHT

Tyre Size	Width	Depth	Length	Weight
11.00R20	240SH	16.0	134	14.57
10.00R20	220SH	17.0	128	13.95
295/90R20	220SH	17.0	128	13.85

FEATURES

- Unique Design
- Upto 20% wear savings
- Parallel Sipes with Dense Notches & Sipes

BENEFITS

- Low rolling Resistance and Strong Traction
- Fuel Efficiency & better driving

ADVANTAGE

- After 20% wear design turns into Snowsoidal Rib design
- Increased land use ratio & traction
- Slow Abrasion & more mileage

AXLE POSITION

TYRE TYPE

APPLICATION

011-26963172-73, 41664041 | 011-26856350
Email: info@indagrubber.com
Community Centre, Saket, New Delhi-110017, INDIA

ZZA2

Tyre Size	Width	Depth	Length	Weight
10.00R20	185	11.8	99	8.00
10.00R20	195	11.8	104	8.50
10.00R20	205	11.8	110	9.00
10.00R20	215	11.8	116	9.50
10.00R20	225	11.8	122	10.00
10.00R20	235	11.8	128	10.50
10.00R20	245	11.8	134	11.00
10.00R20	255	11.8	140	11.50
10.00R20	265	11.8	146	12.00
10.00R20	275	11.8	152	12.50
10.00R20	285	11.8	158	13.00
10.00R20	295	11.8	164	13.50
10.00R20	305	11.8	170	14.00
10.00R20	315	11.8	176	14.50
10.00R20	325	11.8	182	15.00
10.00R20	335	11.8	188	15.50
10.00R20	345	11.8	194	16.00
10.00R20	355	11.8	200	16.50
10.00R20	365	11.8	206	17.00
10.00R20	375	11.8	212	17.50
10.00R20	385	11.8	218	18.00
10.00R20	395	11.8	224	18.50
10.00R20	405	11.8	230	19.00
10.00R20	415	11.8	236	19.50
10.00R20	425	11.8	242	20.00
10.00R20	435	11.8	248	20.50
10.00R20	445	11.8	254	21.00
10.00R20	455	11.8	260	21.50
10.00R20	465	11.8	266	22.00
10.00R20	475	11.8	272	22.50
10.00R20	485	11.8	278	23.00
10.00R20	495	11.8	284	23.50
10.00R20	505	11.8	290	24.00
10.00R20	515	11.8	296	24.50
10.00R20	525	11.8	302	25.00
10.00R20	535	11.8	308	25.50
10.00R20	545	11.8	314	26.00
10.00R20	555	11.8	320	26.50
10.00R20	565	11.8	326	27.00
10.00R20	575	11.8	332	27.50
10.00R20	585	11.8	338	28.00
10.00R20	595	11.8	344	28.50
10.00R20	605	11.8	350	29.00
10.00R20	615	11.8	356	29.50
10.00R20	625	11.8	362	30.00
10.00R20	635	11.8	368	30.50
10.00R20	645	11.8	374	31.00
10.00R20	655	11.8	380	31.50
10.00R20	665	11.8	386	32.00
10.00R20	675	11.8	392	32.50
10.00R20	685	11.8	398	33.00
10.00R20	695	11.8	404	33.50
10.00R20	705	11.8	410	34.00
10.00R20	715	11.8	416	34.50
10.00R20	725	11.8	422	35.00
10.00R20	735	11.8	428	35.50
10.00R20	745	11.8	434	36.00
10.00R20	755	11.8	440	36.50
10.00R20	765	11.8	446	37.00
10.00R20	775	11.8	452	37.50
10.00R20	785	11.8	458	38.00
10.00R20	795	11.8	464	38.50
10.00R20	805	11.8	470	39.00
10.00R20	815	11.8	476	39.50
10.00R20	825	11.8	482	40.00
10.00R20	835	11.8	488	40.50
10.00R20	845	11.8	494	41.00
10.00R20	855	11.8	500	41.50
10.00R20	865	11.8	506	42.00
10.00R20	875	11.8	512	42.50
10.00R20	885	11.8	518	43.00
10.00R20	895	11.8	524	43.50
10.00R20	905	11.8	530	44.00
10.00R20	915	11.8	536	44.50
10.00R20	925	11.8	542	45.00
10.00R20	935	11.8	548	45.50
10.00R20	945	11.8	554	46.00
10.00R20	955	11.8	560	46.50
10.00R20	965	11.8	566	47.00
10.00R20	975	11.8	572	47.50
10.00R20	985	11.8	578	48.00
10.00R20	995	11.8	584	48.50
10.00R20	1005	11.8	590	49.00
10.00R20	1015	11.8	596	49.50
10.00R20	1025	11.8	602	50.00
10.00R20	1035	11.8	608	50.50
10.00R20	1045	11.8	614	51.00
10.00R20	1055	11.8	620	51.50
10.00R20	1065	11.8	626	52.00
10.00R20	1075	11.8	632	52.50
10.00R20	1085	11.8	638	53.00
10.00R20	1095	11.8	644	53.50
10.00R20	1105	11.8	650	54.00
10.00R20	1115	11.8	656	54.50
10.00R20	1125	11.8	662	55.00
10.00R20	1135	11.8	668	55.50
10.00R20	1145	11.8	674	56.00
10.00R20	1155	11.8	680	56.50
10.00R20	1165	11.8	686	57.00
10.00R20	1175	11.8	692	57.50
10.00R20	1185	11.8	698	58.00
10.00R20	1195	11.8	704	58.50
10.00R20	1205	11.8	710	59.00
10.00R20	1215	11.8	716	59.50
10.00R20	1225	11.8	722	60.00
10.00R20	1235	11.8	728	60.50
10.00R20	1245	11.8	734	61.00
10.00R20	1255	11.8	740	61.50
10.00R20	1265	11.8	746	62.00
10.00R20	1275	11.8	752	62.50
10.00R20	1285	11.8	758	63.00
10.00R20	1295	11.8	764	63.50
10.00R20	1305	11.8	770	64.00
10.00R20	1315	11.8	776	64.50
10.00R20	1325	11.8	782	65.00
10.00R20	1335	11.8	788	65.50
10.00R20	1345	11.8	794	66.00
10.00R20	1355	11.8	800	66.50
10.00R20	1365	11.8	806	67.00
10.00R20	1375	11.8	812	67.50
10.00R20	1385	11.8	818	68.00
10.00R20	1395	11.8	824	68.50
10.00R20	1405	11.8	830	69.00
10.00R20	1415	11.8	836	69.50
10.00R20	1425	11.8	842	70.00
10.00R20	1435	11.8	848	70.50
10.00R20	1445	11.8	854	71.00
10.00R20	1455	11.8	860	71.50
10.00R20	1465	11.8	866	72.00
10.00R20	1475	11.8	872	72.50
10.00R20	1485	11.8	878	73.00
10.00R20	1495	11.8	884	73.50
10.00R20	1505	11.8	890	74.00
10.00R20	1515	11.8	896	74.50
10.00R20	1525	11.8	902	75.00
10.00R20	1535	11.8	908	75.50
10.00R20	1545	11.8	914	76.00
10.00R20	1555	11.8	920	76.50
10.00R20	1565	11.8	926	77.00
10.00R20	1575	11.8	932	77.50
10.00R20	1585	11.8	938	78.00
10.00R20	1595	11.8	944	78.50
10.00R20	1605	11.8	950	79.00
10.00R20	1615	11.8	956	79.50
10.00R20	1625	11.8	962	80.00
10.00R20	1635	11.8	968	80.50
10.00R20	1645	11.8	974	81.00
10.00R20	1655	11.8	980	81.50
10.00R20	1665	11.8	986	82.00
10.00R20	1675	11.8	992	82.50
10.00R20	1685	11.8	998	83.00
10.00R20	1695	11.8	1004	83.50
10.00R20	1705	11.8	1010	84.00
10.00R20	1715	11.8	1016	84.50
10.00R20	1725	11.8	1022	85.00
10.00R20	1735	11.8	1028	85.50
10.00R20	1745	11.8	1034	86.00
10.00R20	1755	11.8	1040	86.50
10.00R20	1765	11.8	1046	87.00
10.00R20	1775	11.8	1052	87.50
10.00R20	1785	11.8	1058	88.00
10.00R20	1795	11.8	1064	88.50
10.00R20	1805	11.8	1070	89.00
10.00R20	1815	11.8	1076	89.50
10.00R20	1825	11.8	1082	90.00
10.00R20	1835	11.8	1088	90.50
10.00R20	1845	11.8	1094	91.00
10.00R20	1855	11.8	1100	91.50
10.00R20	1865	11.8	1106	92.00
10.00R20	1875	11.8	1112	92.50
10.00R20	1885	11.8	1118	93.00
10.00R20	1895	11.8	1124	93.50
10.00R20	1905	11.8	1130	94.00
10.00R20	1915	11.8	1136	94.50
10.00R20	1925	11.8	1142	95.00
10.00R20	1935	11.8	1148	95.50
10.00R20	1945	11.8	1154	96.00
10.00R20	1955	11.8	1160	96.50
10.00R20	1965	11.8	1166	97.00
10.00R20	1975	11.8	1172	97.50
10.00R20	1985	11.8	1178	98.00
10.00R20	1995	11.8	1184	98.50
10.00R20	2005	11.8	1190	99.00
10.00R20	2015	11.8	1196	99.50
10.00R20	2025	11.8	1202	100.00
10.00R20	2035	11.8	1208	100.50
10.00R20	2045	11.8	1214	101.00
10.00R20	2055	11.8	1220	101.50
10.00R20	2065	11.8	1226	102.00
10.00R20	2075	11.8	1232	102.50
10.00R20	2085	11.8	1238	103.00
10.00R20	2095	11.8	1244	103.50
10.00R20	2105	11.8	1250	104.00
10.00R20	2115	11.8	1256	104.50
10.00R20	2125	11.8	1262	105.00
10.00R20	2135	11.8	1268	105.50
10.00R20	2145	11.8	1274	106.00
10.00R20	2155	11.8	1280	106.50
10.00R20	2165	11.8	1286	107.00
10.00R20	2175	11.8	1292	107.50
10.00R20	2185	11.8	1298	108.00
10.00R20	2195	11.8	1304	108.50
10.00R20	2205	11.8	1310	109.00
10.00R20	2215	11.8	1316	109.50

Building Awareness —Engagement Activities



Indag continued to be a key player in promoting the circular tyre economy, showcasing its leadership through industry conferences, fleet engagement programmes, and channel-partner training across India. showcasing the advantages of retreading as an alternative to industry stakeholders.



Indag Rubber at the Commercial Vehicles Conference




Indag Rubber at the IRC Rubber Conference

Marketing in Action —Digital & On-Ground Campaigns



Enhance Customer Brand Experience Through Digital Campaign

- ✓ Promoting an **easy-to-navigate digital experience**, customers can seamlessly explore and choose the right products for their needs.



Instant Visual Appeal at Point of Sale

- ✓ **3D rendering & modeling of PTR** designs showcasing product features with complete clarity through marketing tools.
- ✓ More than **1000+ touchpoints** covered



Owner-Driver Engagement through Targeted BTL Activities

- ✓ Reaching out to more than **700+ owner drivers** through more than **200+ BTL activities**



The logo for INDAG, featuring the word "INDAG" in a bold, black, sans-serif font with a registered trademark symbol (®). The text is enclosed within a white rectangular border with a thin red inner line, all set against a dark background.

INDAG[®]

A large orange and white semi-truck is shown from a side-rear perspective, parked on a dark, flat surface. The truck's orange trailer and white cab are prominent. The background features a dramatic sunset or sunrise sky with soft, golden light filtering through the clouds. The overall mood is professional and industrial.

**Highly Underpenetrated
Industry: Poised For Growth**

Retreading: Strong Pillar of a Circular Economy



CO ₂ Origin	NEW TYRE	RETREAD TYRE* *Retread process only
Raw Material	100 kg CO ₂	21 kg CO ₂
Transport	20 kg CO ₂	8 kg CO ₂
Manufacturing Process	64 kg CO ₂	19 kg CO ₂
Total	184 kg CO ₂	48 kg CO ₂

Retreading saves:


57L + 44kgs + 136kgs

of oil/tyre

of rubber/tyre

of CO₂ emissions/tyre

Retreading: The Pinnacle of Circularity and Value in Tire Recycling




Source: Global Automotive Circular Economy Growth Opportunities by Frost & Sullivan

Retreading - The only Cost Saving Measure for Fleet Owners



Regulatory changes
increasing CV prices by
10-12%

High Fuel
Costs



Increasing Toll Prices

Increasing
Competition



Retreading saves up to

70%

of a new tyre cost

Reduces CPKM (Cost-per-KM) to

1/3

of a new tyre

Provides

70%

life compared to a new tyre



Safety is tested to same stringent performance
criteria as a new tyre

Going forward, retreading of tyres is the only
considerable solution to reduce costs

Highly Underpenetrated Industry — Poised For Multi-Year Growth



Improved Road Infrastructure

- More distance travelled in lesser time
- Higher tonnage vehicles with more tyres
- Less Downtime & longer tread life
- Less Damage to vehicles & tyres



GST & Favorable Regulatory Guidelines

- Fewer stopovers at check posts due to E-waybills
- Less overloading due to increasing regulations
- End of tyre life norms and labelling norms
- Restrictions on Overloading
- Elimination of smaller, unorganized players and formalization of value chains



Growing Environmental Consciousness

- Retreading promotes sustainability and reusability, providing lesser carbon footprint
- Extended Producer Responsibility (EPR) Policy will drive growth in retreading industry



Inclination to Electric Vehicles

- While IC engines may become redundant over time, tyres will not
- Emerging tyre designs focused on Electric Vehicles



Increasing Radialization Trend

- Truck & Bus tyre segment has reached ~60% radialisation per CRISIL, expected to rise to 68-70% by FY30.
- Radial tyres are structurally stronger and supports multiple retread

Indag Positioned for Growth Amid Expanding Market Opportunities



Unparalleled Product Portfolio

Indag boasts a best-in-class product range, catering to diverse customer needs across various tyre segments



Cutting-Edge R&D

Indag's recently established state-of-the-art research and development facility at Nalagarh, Himachal Pradesh which spearheads innovation, ensuring the delivery of best-in-class products



Pan-India Network

Indag's expansive network spanning over 300 dealers, 3000 retreaders, and 15 strategically located depots ensures comprehensive market coverage and customer proximity, guaranteeing pan-India availability



Expert On-Ground Team

Indag's team of over 50 highly trained on-ground personnel, comprising sales executives, technical engineers, and dedicated fleet engineers, ensures timely solutions and services tailored to customer needs



Dedicated Fleet Support

Indag's dedicated assistance to fleet owners and operators helps them reduce tyre cost per kilometer (CPKM), enhancing fleet profitability




Indag Consultancy Services

Indag's consultancy services offer expert guidance to retreaders, covering retreading processes, machinery, and troubleshooting, ensuring efficient and cost-effective operations

Indag continues to be a leading player in the retreading industry.
Our compelling value proposition and unwavering commitment to product innovation are propelling our leadership in this highly competitive landscape

Diversification: Millenium Manufacturing — First Commercial Order in FY26



India's Electronics Manufacturing Sector

India's electronics contract manufacturing industry is on a strong long-term growth path. India's Electronics Manufacturing Services (EMS) market is forecast to reach a value of approximately US\$348 billion by 2031, growing at a CAGR of around 28% over the 2025–2031 period (source: BlueWeave). EMS is the key link between components and finished equipment, and India can serve as an alternative source for global OEMs to prevent supply chain disruptions.

Millenium Manufacturing Systems

Millenium is a joint venture of Sun Group companies—ELCOM Innovations, SUN New Energy Capital and INDAG—dedicated to manufacturing green energy power electrical and electronics products for the global market.

Goal: Our goal is to be India's leading power electronics manufacturing company especially focused on the energy transition, including the generation, the grid and application sectors such as transportation, to help de-risk global supply chains in the US, Europe and Japan away from dependence on a single manufacturing market. This goal is supplemented by core strength in the Indian economy, the alignment of India with the western market, and strong support from the Indian Government.

Vision: To enable manufacturing for clean energy deployment creating a sustainable future for our planet.

Mission: To manufacture and deliver world-class Power Electronics Equipment through people, partnerships, innovation and integrity, building a green manufacturing corridor to de-risk supply chains for the US, Europe and Japan with India's emerging manufacturing excellence. Specialization: Power electronics for energy generation, grid management

Manufacturing Base: Mohali facility with advanced infrastructure.

Key Milestones

- **Factory Certification:** Successfully completed all factory certifications and approvals.
- **First Customer Delivery:** Achieved first customer delivery in Q2 FY25.
- **Beta Order Deliveries:** Completed beta order deliveries in Q3 FY25.
- **First Commercial Serial Order:** Received the first commercial serial order in FY26 for Power Conversion Systems (PCS) to be used in Battery Energy Storage Systems (BESS); During Q1 it continued to build on its FY26 foundation and commenced its commercial production and dispatches during the quarter.


CSR Initiatives — Education-Led Impact



628+ students and 350+ families are direct beneficiaries; 42 of 46 Grade V Navi Disha students achieved A/A+ in SCERT.



THE NABHA FOUNDATION



The Company has partnered with **The Nabha Foundation** to provide literacy programs in primary and senior secondary schools, ensuring that every child has access to quality education and the opportunity to reach their full potential

Our partnership with The Nabha Foundation continues to deliver measurable impact across 5 Navi Disha schools (418 students, K–5) and the Maharani Gurucharan Kaur Girls School (210 students, K–10).



Key Initiatives

- Education — Innovative Teaching
- Flipped classrooms, collaborative learning
- Environmental awareness in curriculum
- 5 Navi Disha schools, K-5 (418 students)
- Community & Healthcare
- Blood donation camps, heatwave awareness
- 250 saplings planted (90% survival)
- HP CM Relief Fund for floods
- Sports & Cultural
- Wrestling, cricket, kabaddi (boys & girls)
- Teacher training workshops
- Alumni: nurses, IT professionals



Historical Financials

Historical Profit & Loss Statement



Particulars (Rs. In Crs.)	FY26	FY25	FY24	FY23
Revenue from Operations	214.2	224.8	251.2	243.9
Other Income	10.6	12.1	10.0	8.4
Total Revenue (incl Other Income)	224.8	236.9	261.2	252.2
Total Raw Material	147.2	161.6	169.4	174.3
Gross Profit	77.6	75.3	91.9	77.9
Gross Profit (%)	34.5%	31.8%	35.2%	30.9%
Employee Expenses	25.1	26.6	24.8	22.1
Other Expenses	30.1	32.2	39.3	33.8
EBITDA	22.4	16.5	27.7	22.0
EBITDA (%)	10.0%	7.0%	10.6%	8.7%
Depreciation	5.6	5.5	5.3	4.5
EBIT	16.8	11.0	22.5	17.6
EBIT (%)	7.5%	4.6%	8.6%	7.0%
Finance Cost	0.5	0.6	0.6	0.3
Profit before Tax	16.3	10.4	21.8	17.2
Tax	4.0	2.0	5.1	4.0
Profit after Tax	12.4	8.4	16.7	13.2
PAT %	5.5%	3.6%	6.4%	5.2%
EPS	4.72	3.21	6.38	5.04

Historical Balance Sheet



Liabilities (Rs. In Crs.)	Mar-26	Mar-25	Mar-24	Mar-23
Equity				
Share Capital	5.3	5.3	5.3	5.3
Other Equity	230.4	224.8	221.6	206.6
Total Equity	235.6	230.1	226.8	211.8
Non Current Liabilities				
Financial Liabilities				
Lease Liabilities	3.8	5.0	5.5	5.9
Provisions	1.0	1.1	0.9	0.9
Deferred Tax Liabilities (Net)	3.5	4.0	3.3	3.0
Total Non Current Liabilities	8.3	10.1	9.7	9.9
Current Liabilities				
Financial Liabilities				
Lease Liabilities	0.6	0.5	0.4	0.4
Trade Payables	25.9	21.3	19.7	22.8
Other Financial Liabilities	4.8	3	3.3	3.4
Provisions	0.5	0.4	0.1	0.2
Other Current Liabilities	2.9	4.0	2.7	2.7
Total Current Liabilities	34.6	29.2	26.3	29.4
Total Equity and Liabilities	278.5	269.4	262.8	251.1

Assets (Rs. In Crs.)	Mar-26	Mar-25	Mar-24	Mar-23
Non Current assets				
Property, Plant and Equipments	25.0	26.1	28.0	24.4
Capital Work-In-Progress	0.1	0.4	0.2	0.4
Investment Property	17.7	18.8	19.9	21.0
Right of Use Assets	3.4	4.8	5.5	6.3
Other Intangible Assets	0.4	0.6	0.5	0.1
Financial Assets				
Investments	94.0	104	110.4	95.7
Loans	0.0	0.0	0.0	0.0
Other Financial Assets	0.2	0.4	0.5	1.3
Income Tax Assets (net)	0.8	1.2	0.7	0.3
Other Non-Current Assets	0.7	0.5	0.4	1.4
Total Non Current Assets	142.3	156.8	166.2	150.8
Current Assets				
Inventories	47.2	45.2	39.5	42.2
Financial Assets				
Investments	52.6	30.8	16.5	17.0
Trade Receivables	22.2	25.1	25.7	29.3
Cash and Cash Equivalents	3.6	1.3	2.9	1.7
Other Bank Balances	1.5	1.3	1.6	0.6
Loans	0.2	0.3	0.2	0.2
Other Financial Assets	1.4	1.7	2.8	1.8
Other Current Assets	7.6	6.9	7.4	7.5
Total Current Assets	136.3	112.6	96.6	100.3
Total Assets	278.5	269.4	262.8	251.1

Historical Cashflow Statement




Particulars (Rs. In Crs.)	Mar-26	Mar-25	Mar-24	Mar-23
Net Profit Before Tax	16.3	10.4	21.8	17.2
Adjustments for: Non Cash / Other Items	0.8	-9.0	1.1	1.8
Operating profit before working capital changes	17.1	9.5	23.0	19.0
Changes in working capital	6.6	-0.5	2.6	-6.6
Cash generated from operations	23.7	9.1	25.6	12.5
Direct taxes paid	-3.6	-2.5	-5.7	-2.8
Net Cash from Operating Activities	20.2	6.5	19.9	9.7
Net Cash from Investing Activities	-10.5	0.7	-11.4	-1.8
Net Cash from Financing Activities	-7.3	9.0	-7.4	-6.8
Net Decrease in cash and cash equivalents	2.3	-1.7	1.2	1.0
Add: Cash & Cash equivalents at the beginning of the year	1.3	3.0	1.7	0.7
Cash & Cash equivalents at the end of the year	3.6	1.3	2.9	1.7

Consistent Dividend Pay-Out



Dividend
Pay-Out



EPS : Earnings Per Share
DPS: Dividend Per Share
EPS & DPS are in Rs.



THE **ONLY** ALTERNATE TO NEW TYRES...

For further information, please contact

Company :

Indag Rubber Ltd
CIN: L74899DL1978PLC009038
Mr. Anil Bhardwaj, G.M.(Accounts) & CFO
anil@indagrubber.com

www.indagrubber.com

Investor Relations Advisors :

Strategic Growth Advisors Pvt. Ltd.
CIN: U74140MH2010PTC204285
Mr. Deven Dhruva / Mr. Ronak Jain
deven.dhruva@sgapl.net / ronak.jain@sgapl.net
+91 98333 73300 / +91 9820950544

www.sgapl.net