



Healthy Life Jeeta hai India!

Date: May 19, 2026

To
The Manager
Corporate Services Department
BSE Limited.
25th Floor, Phiroze Jeejeebhoy Towers,
Dalal Street, Mumbai, Maharashtra – 400001.

Scrip Code: 543546
Scrip Symbol: HEALTHYLIFE

Subject: Intimation of Receipt of Statutory Licenses for Manufacturing Unit in Bangalore under Regulation 30 of SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015.

Dear Sir/Madam,

Pursuant to Regulation 30 of the Securities and Exchange Board of India (Listing Obligations and Disclosure Requirements) Regulations, 2015, we wish to inform you that the Company has successfully obtained the Consent to Operate license for the unit situated at Plot No. 35, 3rd Phase, Road No 5, Obadenahalli Industrial Area, Doddaballapura, Bangalore Rural.

Consent to Operate (CTO) Issuing Authority: Karnataka State Pollution Control Board (KSPCB) vide Consent Order No.- AW - 354012, PCBID- 280931 and INW ID- 362674 which is valid from 12/05/2026 to 30/09/2035.

The date of issuance of the certificate is May 15, 2026 and the Company received the certificate from issuing authority on May 18, 2026.

This intimation is being submitted in compliance with the applicable provisions of the SEBI (LODR) Regulations, 2015.

Copies of the above-mentioned licenses/certificates are enclosed herewith for your reference and records.

We request you to kindly take the same on record.

For Healthy Life Agritec Limited

Divya Mojjada
Managing Director
DIN: 07759911

HEALTHY LIFE AGRITEC LIMITED

Registered Office: SH-B/09, New Heera Panna CHS LTD, Gokul Village, Shanti Park, Mira Road East, Thane - 401 107, Maharashtra. Tel.: +91 83558 91669

Corporate Office & Factory: Plot No. B-35, 3rd Phase, Road No. 5, KIADB Industrial Area, Obadenahalli, Doddaballapur, Bangalore - 561203, Karnataka. Tel.: +91 888 466 9595

CIN: L52520MH2019PLC332778

An ISO 9001:2015 CERTIFIED COMPANY

info@healthylifeagritec.com | www.healthylifeagritec.com



Karnataka State Pollution Control Board

HEAD OFFICE : “Parisara Bhavan”,
No.49, Church Street, Bengaluru-560001
Tel No: 080-25589112/113, 080-25581383/388,
Website: <https://kspcb.karnataka.gov.in>

ZONAL OFFICE : Bengaluru North
Urban Eco Park, 3rd Floor, 100 Feet Road, 3rd Phase,
Peenya Industrial Area, Bengaluru-560058
Tele : 080-28378716

Consent For Operation(CFO-Air,Water) - (CfO-Fresh)

As per the provisions of
The Water (Prevention & Control of Pollution) Act, 1974
&
The Air (Prevention & Control of Pollution) Act, 1981

To
**Healthy Life Agritec Limited, 3rd Phase, Road No 5, Obadenahalli Indl
Area, Doddaballapura**

for the Facility located at,
**Healthy Life Agritec Limited, Plot No. 35 ,3rd Phase, Road No 5, Obadenahalli
Indl Area, Doddaballapura
Bangalore Rural**

Consent Order No	PCBID	INW ID	Industry Colour/Scale	Date of Issue
AW-354012	280931	362674	ORANGE/SMALL	15/05/2026

**This Consent is granted for the Products/ Activity/Service name indicated
in the annexure along with the terms & conditions attached to this order**

Validity through : 12/05/2026 to 30/09/2035

Combined Consent Order No: AW-354012

PCB ID: 280931

GSC No : PBOXG0000352674

Date: 15/05/2026

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act , 1974 and emission under Air (Prevention and Control of Pollution)Act , 1981

Ref: 1. Application filed by the industry / organization on 06/05/2026

2.Inspection of the Industry/organization/by RO, on 12/05/2026

Consent is hereby granted under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (here in referred to as the Air Act) and the Rules and Orders made there under and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

The Occupier is authorized to operate /carryout industry/activity & to make discharge of the effluents & emissions confirming to the stipulated standards from the premises mentioned below:

Location:

Name of the Industry: Healthy Life Agritec Limited

Address: Plot No. 35, 3rd Phase, Road No 5, Obadenahalli Indl Area, Doddaballapura

Industrial Area: Doddaballapur I.A, Obadenahalli Industrial Area,

Taluk: Dodballapur, District: Bangalore Rural

Discharge of effluents under the Water Act:

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Boiler Feed	1.000	0.050	shall be handed over to Authorized CETP after preliminary treatment only through e Manifest
2	Domestic Purpose	2.200	1.760	Shall be disposed to Septic tank and soak pit constructed as per IS 2470 Part I &II
3	Manufacturing Processes	0.200	0.200	washing effluent shall be handed over to Authorized CETP M after preliminary treatment only through e Manifest

Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel, rate of emissions, constituents to be controlled in emissions etc. are detailed in Annexure-I.		

The consent for operation is granted considering the following activities/Products;

Sr	Product Name	Applied Qty	Unit
1	Green Chilli Sauce	13.0000	Metric Tonnes/month
2	Red Chilli Sauce	13.0000	Metric Tonnes/month
3	Soya Sauce	13.0000	Metric Tonnes/month
4	Tomato Sauce	13.0000	Metric Tonnes/month

This consent is valid for the period from 12/05/2026 to 30/09/2035

To,

Healthy Life Agritec Limited

Plot No. 35, 3rd Phase, Road No 5,
Obadenahalli Industrial Area,
Doddaballapur, Bangalore – Rural,
Bangalore - 561203

NOTE:

The following Conditions A(2b,3a) mentioned above are not applicable.

COPY TO:

1. The Regional Officer, **Doddaballapura** for information and necessary action.
2. Master Register.
3. Case file.

Consent Fee paid : Rs. 360000

Additional Conditions:

1. The applicant shall comply with the additional conditions stipulated in Annexure-III.



SCHEDULE**TERMS AND CONDITIONS****A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.**

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
- 2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.
- 2(b).The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.
- 3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall confirm to the standards stipulated by the Board in Annexure-1
- 3(b).The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.
4. The occupier shall install flow measuring/recording devices to record the discharge quantity and maintain the record.
5. The occupier shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.
6. The Occupier shall not allow the discharge from the other premises to mix with the discharge from his premises Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in **Annexure-II** where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under.
2. The occupier shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
3. The Occupier shall upgrade/modify/replace the control equipment with prior permission of the Board.

C.MONITORING & REPORTING:

1. The occupier shall get the samples of effluents & emissions collected and get them analyzed once a month for the parameters.

D. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The Occupier shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

E. NOISE POLLUTION CONTROL:

The applicant shall ensure that the ambient noise levels within its premises during construction and during operational period shall not exceed w.r.t Area/Zone as per Noise Pollution (Regulation and Control) Rules, 2000 as mentioned below:-

- a) In Industrial Area 75 dB(A) Leq during day time and 70 dB(A) Leq during night time.
- b) In Commercial Area 65 dB(A) Leq during day time and 55 dB(A) Leq during night time.
- c) In Residential Area 55 dB(A) Leq during day time and 45 dB(A) Leq during night time.
- d) In Silence Zone 50 dB(A) Leq during day time and 40 dB(A) Leq during night time.

Note: - * Day time shall mean 6 am to 10 pm and Night time shall mean 10 pm to 6 am.

- * dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
- * A "decibel" is a unit in which noise is measured.
- * "A", in dB(A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human ear.
- * Leq: It is an energy mean of the noise level over a specified period.

F. GENERAL CONDITIONS:

1. The applicant shall obtain prior permission from the competent authority for drawing of water from Surface/Ground water source and submit a copy of the same to the Board.
2. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
3. The Occupier shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
4. The Occupier shall provide alternative power supply sufficient to operate all Pollution control equipments.

5. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow measuring points should be made easily approachable.
6. The Occupier shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
7. The Occupier his heirs, legal representatives or assigns shall have no claims whatsoever to the continuation or renewal of this consent after expiry of the validity of consent.
8. The Occupier shall make an application for consent at least 120 days before expiry of this consent.
9. The occupier shall maintain register recording the ambient air quality and stack monitoring. The register shall be open for inspection by the Board Officers at all time.

Note: All efforts should be made to remove colour and unpleasant odour as far as practicable.

Annexure-II

Chim. No.	Chimney attached to	KVA Rating/ Capacity	Minimum chimney height to be provided above ground level (in Mtr)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Air pollution Control equipment to be installed, in addition to chimney height as per col.(4)	Date on which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	Boiler	200 Kg/Hr	9	PM,SO ₂ ,NO _x	0,0,0,0,0	NDR	---
2	Boiler	300 Kg/Hr	5	PM,SO ₂ ,NO _x	0,0,0,0,0	FIL	---
3	D.G. Sets	62.5 KVA	9	PM,SO ₂ ,NO _x	0,0,0,0,0	AEC	---

Note:

NDR : Natural Draft

FIL : Bag Filter

AEC : Acoustic Enclosures

Note:

1. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection) Rules.
2. There shall be no smell or odour nuisance from the industry.

LOCATION OF SAMPLING PORTHOLES, THE PLATFORMS, THE ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 3". Arrangements should be made so that the porthole is closed firmly during the period when it is not used for sampling.
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point off 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.



For and on behalf of the
Karnataka State Pollution Control Board

Signature Not Verified
Digitally signed by
Date: 2026.05.16 15:54:08
+05:30