10th September, 2026

To,

BSE Surveillance
BSE Limited,
P J Towers, Dalal Street,
Mumbai -400001, India

BSE Scrip Code: 535204

Sub.: Clarification on Price Movement
Ref.: Letter of BSE bearing ref. no. L/SURV/ONL/PV/SG/ 2026-2027 / 339 through email dated September 07, 2026

Dear Sir/Ma'am,

This is with reference to the captioned letter, seeking clarification in respect of significant movement in the price of equity shares of the Company across Stock Exchanges in the recent past. In this regard, it is hereby clarified that the Company has intimated to the exchanges all the events and information including all price sensitive information as required to be disclosed under the provisions of Regulation 30 and other applicable regulations of the SEBI (Listing Obligations and Disclosure Requirements) Regulations, 2015.

The Company has not withheld any information / announcement (including impending announcement), which in our opinion may have a bearing on the price/volume behaviour in the scrip of the Company.

The Company believes that a significant increase in volume in equity shares of the Company is purely due to market conditions and are market-driven, on which the Company neither has any control nor has any knowledge of reasons.

We would like to reiterate that the Company has always adhered to, and will continue to adhere to, the compliance requirements under the Listing Regulations and other applicable laws, and will continue to make disclosures to the Stock Exchanges as and when required.

The delay in submission of the aforesaid clarification was inadvertent and due to an internal communication oversight. The Company regrets the delay and assures the Exchange that necessary care shall be exercised to ensure timely response to communications received from the Exchange in future.

We request you to kindly take the above clarification on record.

For **Mukta Agriculture Limited**

MOHIT KRISHAN KHADARIA
Digitally signed by MOHIT KRISHAN KHADARIA
Date: 2026.09.10 13:30:05 +05'30'

Mohit Khadaria
Managing Director
DIN: 05142395